chemfix
TOTAL SERVICE

300ml 10:1

Manual Extrusion Tool

Carriage Lmm = 237mm
Piston Dmm = 40mm

Designed For:





Key Features

- All-protected hi-grade steel construction lightweight : 0.77kg
- Anti-Vibration pressure plate to guard against breakage.
- Cradle type carriage to support the cartridge.
- 26:1 trigger ratio capable of smooth delivery of 450KG force.
- Piston Movement per stroke : 6mm
- Quantity per box : 12pcs individually wrapped.
- Web Link - Technical Drawings

Cartridge Sizes

- 10:1 ChubSeal® Cartridge - 150/165/175ml
- 10:1 ChubSeal® Cartridge - 300ml

CODE 65463

COLOUR RED

LIFETIME GUARANTEE

chemfix
TOTAL SERVICE

345ml 10:1

Manual Extrusion Tool



Carriage Lmm = 249mm
Piston Dmm = 40 & 8mm

Designed For:

400ml Side by Side Cartridge



Key Features

- All-protected hi-grade steel construction lightweight : 1.14kg
- Anti-Vibration pressure plate to guard against breakage.
- 18:1 trigger ratio capable of smooth delivery of 1.8kN force.
- Piston Movement per stroke : 5.5mm
- Quantity per box : 10pcs individually wrapped.
- Web Link - Technical Drawings

Cartridge Sizes

- 10:1 Side by Side Cartridge - 345ml

CODE 65472

COLOUR RED

LIFETIME GUARANTEE

chemfix
TOTAL SERVICE

380-420ml 10:1

Manual Extrusion Tool



Carriage Lmm = 214mm
Piston Dmm = 56mm (centre 12mm)

Designed For:



Key Features

- All-protected hi-grade steel construction lightweight : 1.22kg
- Anti-Vibration pressure plate to guard against breakage.
- Spring Tension adjustment screw, extends working life infinitely.
- 26:1 trigger ratio capable of smooth delivery of 2kN force.
- Piston Movement per stroke : 4.5mm
- Quantity per box : 10pcs individually wrapped.
- Web Link - Technical Drawings

Cartridge Sizes

- 10:1 Co-axial Cartridge - 380ml - 420ml

CODE 69840

COLOUR RED

LIFETIME GUARANTEE

chemfix
TOTAL SERVICE

385ml 3:1 Manual Extrusion Tool

Carriage Lmm = 210mm
Piston Dmm = 30 & 27mm

Designed For:

385ml 3:1 Side by Side Cartridge



Key Features

- All-protected hi-grade steel construction lightweight : 1.32kg
- Anti-Vibration pressure plate to guard against breakage.
- Spring Tension adjustment screw, extends working life infinitely.
- 26:1 trigger ratio capable of smooth delivery of 2kN force.
- Piston Movement per stroke : 4.5mm
- Quantity per box : 10pcs individually wrapped.
- Web Link - Technical Drawings

Cartridge Sizes

- 3:1 Side by Side Cartridge - 385ml

CODE 65467

COLOUR RED

LIFETIME GUARANTEE

385/585ml 3:1

Manual Extrusion Tool



Carriage Lmm = 280mm
Piston Dmm = 30 & 27mm

Designed For:



Key Features

- *All-protected hi-grade steel construction lightweight : 1.52kg*
- *Anti-Vibration pressure plate to guard against breakage.*
- *Spring Tension adjustment screw, extends working life infinitely.*
- *26:1 trigger ratio capable of smooth delivery of 2kN force.*
- *Piston Movement per stroke : 4.5mm*
- *Quantity per box : 10pcs individually wrapped.*
- *Web Link - **Technical Drawings***

Cartridge Sizes

- *3:1 Side by Side Cartridge - 385 or 585ml*

CODE 65480

COLOUR RED

LIFETIME GUARANTEE

chemfix
TOTAL SERVICE

400ml 1:1

Manual Extrusion Tool



Carriage Lmm = 200mm
Piston Dmm = 30 & 27mm

Designed For:



Key Features

- All-protected hi-grade steel construction lightweight : 1.32kg
- Anti-Vibration pressure plate to guard against breakage.
- Spring Tension adjustment screw, extends working life infinitely.
- 26:1 trigger ratio capable of smooth delivery of 2kN force.
- Piston Movement per stroke : 4.5mm
- Quantity per box : 5pcs individually wrapped.
- Web Link - Technical Drawings

Cartridge Sizes

- 1:1 Side by Side Cartridge - 400ml

CODE 69841

COLOUR RED

LIFETIME GUARANTEE